

STRIP
ALLOY & ENERGY SURCHARGE

VALID FOR INVOICING: September

With process factor valid for finished cold rolled and hardened and tempered strip products

Since January 2016 a time lag of 45 days between market alloy prices and its alloy surcharge is used. Currency exchange rates for corresponding time period.

GRADE			ALLOY & ENERGY SURCHARGE PER KG										
Alleima	W.nr	ASTM	SS	SEK	EUR	GBP	USD	JPY	CAD	CNY	CHF	Lbs USD	Lbs CAD
Alloyed non-stainless steels and carbon steels													
15LM	1.1248	1074	1770	6,88	0,66	0,56	0,67	91	0,87	4,55	0,65	0,31	0,39
20C	1.1274	1095	1870	7,00	0,67	0,57	0,69	93	0,88	4,63	0,66	0,31	0,40
20C2			2258	7,76	0,74	0,63	0,76	103	0,98	5,13	0,73	0,34	0,44
25C				6,97	0,67	0,56	0,68	92	0,88	4,61	0,65	0,31	0,40
10C16Mo3V1				18,10	1,74	1,47	1,77	240	2,28	11,97	1,70	0,80	1,03
Sanprint XP				16,01	1,54	1,30	1,57	212	2,02	10,59	1,50	0,71	0,91

Martensitic stainless chromium steels													
6C27	1.4007	420	2234	15,50	1,49	1,26	1,52	205	1,95	10,25	1,46	0,69	0,89
7C27Mo2				19,81	1,90	1,60	1,94	262	2,50	13,10	1,86	0,88	1,13
Hiflex				19,81	1,90	1,60	1,94	262	2,50	13,10	1,86	0,88	1,13
Freeflex				20,66	1,98	1,67	2,02	273	2,60	13,67	1,94	0,92	1,18
10C28MO2				20,13	1,93	1,63	1,97	266	2,54	13,31	1,89	0,89	1,15
12C27M				16,01	1,54	1,30	1,57	212	2,02	10,59	1,50	0,71	0,91
12C27				15,41	1,48	1,25	1,51	204	1,94	10,19	1,45	0,68	0,88
14C28N				15,69	1,51	1,27	1,54	208	1,98	10,38	1,47	0,70	0,90
13C26				15,03	1,44	1,22	1,47	199	1,89	9,94	1,41	0,67	0,86
19C27				15,41	1,48	1,25	1,51	204	1,94	10,19	1,45	0,68	0,88

Austenitic stainless steels													
12R11	1.4310	301	2331	36,97	3,55	2,99	3,62	489	4,66	24,45	3,47	1,64	2,11
11R51	1.4310	301	2231	39,62	3,80	3,21	3,88	524	4,99	26,20	3,72	1,76	2,26
13RM19	EN 1.4369			37,66	3,61	3,05	3,69	498	4,74	24,90	3,54	1,67	2,15
316LVM	1,4441	316LVM		67,85	6,51	5,50	6,65	898	8,54	44,87	6,37	3,01	3,88
2RK65HV				101,22	9,71	8,20	9,91	1 339	12,75	66,94	9,51	4,50	5,78
3X8R65				53,77	5,16	4,36	5,27	712	6,77	35,56	5,05	2,39	3,07

Precipitation hardenable steels													
9RU10	1.4568	631	2388	37,38	3,59	3,03	3,66	495	4,71	24,72	3,51	1,66	2,14
NANOFLEX				57,59	5,53	4,66	5,64	762	7,25	38,09	5,41	2,56	3,29
1RK95				36,41	3,49	2,95	3,57	482	4,59	24,08	3,42	1,62	2,08

Duplex stainless steels (austenitic-ferritic)													
SAF2205	EN 1.4462		2377	49,58	4,76	4,02	4,86	656	6,24	32,79	4,66	2,20	2,83
SAF2507	EN 1.4410		2328	57,71	5,54	4,67	5,65	764	7,27	38,16	5,42	2,56	3,30
SAF3207HD				60,00	5,76	4,86	5,88	794	7,56	39,68	5,63	2,67	3,43

Ferritic stainless chromium steel													
1C429				21,73	2,08	1,76	2,13	288	2,74	14,37	2,04	0,97	1,24
1C44Mo20				25,19	2,42	2,04	2,47	333	3,17	16,66	2,37	1,12	1,44
0XC34				17,62	1,69	1,43	1,73	233	2,22	11,65	1,65	0,78	1,01
1C34				17,50	1,68	1,42	1,71	231	2,20	11,57	1,64	0,78	1,00

Nickel-base alloy													
SANICRO75X2	UNS N07750			207,87	19,94	16,84	20,36	2 751	26,18	137,47	19,52	9,23	11,87
SAN62TiNb				181,36	17,40	14,69	17,76	2 400	22,84	119,94	17,03	8,06	10,36

Energy surcharge per kg included in total surcharge				3,20	0,31	0,26	0,31	42	0,40	2,12	0,30	0,14	0,18